

---

# Halia

## Technical Specifications

### Materials & Finishes

- For Halia office armchairs, 45d polyurethane injection sponge with special form is used on frame.

- Armchairs are upholstered with suitable fabric, soft genuine and artificial leather options as provided in material chart.

- HALIA EXCTV 5SB/C/HA/5TM has high armrest, high back with headrest. 5 tilt mechanism, height-adjustable chrome gas column, 5-star chrome legs and casters are used.

- HALIA YSYK MNGR 5SB/C/HA/BM has high back, high armrest. Basic mechanism, height-adjustable chrome gas column, 5-star chrome legs and casters are used.

- HALIA YSYK MNGR 5SB/C/HA/3TM has high back, high armrest. 3 tilt mechanism, height-adjustable chrome gas column, 5-star chrome legs and casters are used.

- HALIA YSYK MNGR 5SB/C/HA/5TM has high back, high armrest. 5 tilt mechanism, height-adjustable chrome gas column, 5-star chrome legs and casters are used.

- HALIA KSYK MNGR 5SB/C/HA/BM has short back and high armrest. Basic mechanism, height-adjustable chrome gas column, 5-star chrome legs and casters are used.

- HALIA KSYK MNGR 5SB/C/HA/3TM has short back, high armrest. 3 tilt mechanism, height-adjustable chrome gas column, 5-star chrome legs and casters are used.

- HALIA KSYK MNGR 5SB/C/HA/5TM has short back, high armrest. 5 tilt mechanism, height-adjustable chrome gas column, 5-star chrome legs and casters are used.

- HALIA YK OPRT 5SB/C/HA/BM has high armrest, mid back height. Basic mechanism, height-adjustable chrome gas column, 5-star chrome legs and casters are used.

- HALIA YK OPRT 5SB/C/HA/3TM has high armrest and mid back height. 3 tilt mechanism, height-adjustable chrome gas column, 5-star chrome legs and casters are used.

- HALIA YK OPRT 5SB/C/HA/5TM has high armrest and mid back height. 5 tilt mechanism, height-adjustable chrome gas column, 5-star chrome legs and casters are used.

---

# Technical Details

● HALIA AK VSTR 4SB/S/PP/BM has low armrest and wide seat. Basic mechanism, gas column with position-protector, 4-star chrome legs and floor-protector chrome feet are used.

● HALIA YK VSTR 4SB/S/PP/BM has high armrest, mid back height. Basic mechanism, position-protector, chrome gas column, 4-star chrome legs and floor-protector feet are used.

● HALIA AK VSTR CSL has low armrest and wide seat. With special form made of Ø13 mm (0.5 inch) transmission material, sled base legs are coated with chrome. Floor-protector feet are used.

● HALIA YK VSTR CSL has high armrest and mid back height. With special form made of Ø13 mm (0.5 inch) transmission material, sled base legs are coated with chrome. Floor-protector feet are used.

● HALIA YK VSTR CHL has high armrest and mid back height. Ø17 mm (0.7 inch) chrome pipe legs are used. Floor-protector feet are used.

● HALIA AK VSTR RB/PP/BM has low armrest and wide seat. Glossy chrome round base Ø545 mm (21.5 inch) are used; position-protector gas column and basic mechanism are used.

● HALIA AK VST WOO has lower armrest and wide seat. Solid wood legs have 3 different polishings: walnut, smoked oak or white oak.

● HALIA YK VST WOO has high armrest. Solid wood legs have 3 different polishings: walnut, smoked oak or white oak.

● HALIA KSYK VST WOO; has high armrest. Solid wood legs have 3 different polishings: walnut, smoked oak or white oak.

● HALIA HIGH BACK BERGER has high back, position-protector gas column, epoxy painted unica leg.

● HALIA LOW BACK BERGER has low back, position-protector gas column, epoxy painted unica leg.

## Fastening Elements

Mechanism connections are made with M6 round head chrome plating bolts, whereas fastening elements are installed via M6 HB chrome bolts.

# Technical Details



**HALIA S0 EXCTV 5SB/C/HA/5TM**  
L: 745 mm / 29.3 inch  
D: 709 mm / 27.9 inch  
H: 1143-1228 mm / 45.0-48.3 inch



**HALIA S0 YSYK MNGR 5SB/C/HA/5TM**  
L: 745 mm / 29.3 inch  
D: 741 mm / 29.2 inch  
H: 1143-1228 mm / 45.0-48.3 inch



**HALIA S0 KSYK MNGR 5SB/C/HA/5TM**  
L: 745 mm / 29.3 inch  
D: 741 mm / 27.9 inch  
H: 978-1072 mm / 38.5-42.4 inch



**HALIA S0 KSYK MNGR 5YA/T/YK/3TM**  
L: 745 mm / 29.3 inch  
D: 741 mm / 27.9 inch  
H: 978 mm / 29.1-32.4 inch



**HALIA S0 YK OPR 5SB/C/HA/BM**  
L: 745 mm / 29.3 inch  
D: 709 mm / 27.9 inch  
H: 978 - 1072 mm / 38.5 - 42.4 inch




**HALIA S0 YK OPRT 5SB/C/HA/3TM**  
L: 745 mm / 29.3 inch  
D: 709 mm / 27.9 inch  
H: 729-849 mm / 28.7-33.4 inch



**HALIA S0 AK\_VSTR 4SB/S/PP/BM**  
L: 725 mm / 28.5 inch  
D: 634 mm / 25.0 inch  
H: 736 mm / 29.0 inch



**HALIA S0 YK VSTR 4SB/S/PP/BM**  
L: 615 mm / 24.2 inch  
D: 612 mm / 24.1 inch  
H: 761 mm / 30.0 inch



**HALIA MEETING CHAIR**  
L: 664 mm / 26.1 inch  
D: 611 mm / 24.1 inch  
H: 825 mm / 32.5 inch



**HALIA S0 AK\_VSTR CSL**  
L: 725 mm / 28.5 inch  
D: 629 mm / 24.8 inch  
H: 745 mm / 29.3 inch



**HALIA S0 YK\_VSTR CSL**  
L: 632 mm / 24.9 inch  
D: 608 mm / 23.9 inch  
H: 776 mm / 30.6 inch



**HALIA S0 YK\_VSTR CHL**  
L: 617 mm / 24.3 inch  
D: 599 mm / 23.6 inch  
H: 779 mm / 30.7 inch

---

# Technical Details



## HALIA S0 AK VSTR RB/PP/BM

L: 725 mm / 28.5 inch  
D: 634 mm / 25.3 inch  
H: 744 mm / 29.3 inch



## HALIA S0 AK VST WOOD

L: 773 mm / 30.4 inch  
D: 646 mm / 25.4 inch  
H: 737 mm / 29.0 inch



## HALIA S0 YK VST WOOD

L: 663 mm / 26.1 inch  
D: 611 mm / 24.1 inch  
H: 772 mm / 30.4 inch



## HALIA S0 KSYK\_VST\_WOOD

L: 663 mm / 26.1 inch  
D: 672 mm / 26.5 inch  
H: 972 mm / 38.3 inch



## HALIA LOW BACK BERGERE

L: 728 mm / 28.7 inch  
D: 767 mm / 30.2 inch  
H: 775 mm / 30.5 inch



## HALIA HIGH BACK BERGERE

L: 728 mm / 28.7 inch  
D: 785 mm / 30.9 inch  
H: 1120 mm / 44.1 inch



## HALIA S0 LOW BACK FIXED CHAIR

L: 728 mm / 28.7 inch  
D: 767 mm / 30.2 inch  
H: 775 mm / 30.5 inch



## HALIA S0 HIGH BACK FIXED BERGERE

L: 728 mm / 28.7 inch  
D: 767 mm / 30.2 inch  
H: 775 mm / 30.5 inch



## HALIA S0 OTTOMAN POUF

L: 600 mm / 23.6 inch  
D: 600 mm / 23.6 inch  
H: 400 mm / 15.7 inch